

15.0 inch Six-Digit Network Time of Day Clock [DC-156N-IN](#)



Features

- Network DHCP or Static IP
- Time Zone Selectable
- Surface mount
- Extruded aluminum enclosure
- Made in the USA
- 12-24 Hour Atomic Time
- Large 15 Inch Super Bright Bar LED's
- 1-Year warranty
- Visible up to 750Ft.
- Factory serviceable modular design

Options

- POE injector
- WIFI available
- Static Display, Timer, Temperature available
- Outdoor Rated

Specifications

- **Display** 15 Inch, six digit, seven segment, red LED display
- **Case** Extruded aluminum enclosure, 72"W x 19"H x 3-1/4"D
- **Weight** 35.0 Pounds
- **Power Source** 120-250 VAC, 50-60 Hz, @ 3 amps with ground (junction box with pigtails)
- **Operating Temp** 0° to 49° Celsius (32° to 120° Fahrenheit)
- **Case Finish** Black Powder Coating
- **Cabling** Ethernet

[DC-156N-IN](#) Description

The DC-Digital [DC-156N-IN](#) time of day clock is designed to be used in any application where any 6 digit time of day clock is needed to be seen. It automatically queries NTP once every 10 seconds and on power up. It can be set up for 12 or 24 hour time format (default is 12 Hour). It can be set up for static IP to receive the NTP from your server (default is DHCP). This unique design can be used in either existing buildings or new construction. The [DC-156N-IN](#) time of day clock comes with an aluminum case with mounting brackets and (2) junction boxes for easy connections to power and data. This equipment is proudly made in the USA. This display is factory serviceable.

DC-156N-IN Mounting and Dimensions

There are (2) aluminum .125 inch x 1.5 inch x .75 inch C channel mounting rails that can be used as mounting brackets and secured to a wall or they can be removed and the (4) 5/16 x 1 inch bolts can be used.

