


# 6.0 inch Six-Digit Countdown Timer (indoor)

[DC-606T-DN-IN](#)

**DC-Digital**  
tm



## Features

- Counts down from 99 Hours, 59 minutes, 59 seconds
- All Extruded aluminum enclosure
- Excellent viewing in bright sunlight
- 1-Year warranty
- Momentary push button switches
- Visible up to 300 feet
- Large 6.0 Inch Super Bright LED's
- Factory calibrated quartz accuracy
- Made in the USA
- Junction box for connections

## Options

- RF Wireless controls (150' range [WRC-8T](#))
- Battery powered
- Green, Amber LED available
- Static Display, Temperature available
- 1- Switch Start-Stop-and-Reset
- Shift digit technology
- EOP (end of period buzzer)
- Flashing on count back up mode

## Specifications

- **Input** Tactile momentary pushbuttons mounted on the top of the enclosure  
(1) Start-Stop (pause), (1) Reset to the set value, (1) Reset to zero, (1) Set Hours,  
(1) Set Minutes, (1) Set Seconds
- **Display** 6.0 Inch, Six digit, Seven Segment, High Intensity, Red LED display
- **Case** Extruded Aluminum; 23-1/8" w x 7-1/2" H x 3-1/8" D
- **Weight** 25.0 Pounds
- **Power Source** 28 Watts; 90 – 240VAC 50/60 Hz @ 4 amps, outdoor rated junction box with  
pigtaills
- **Operating Temp** 0° to 49° Celsius (32° to 120° Fahrenheit)
- **Case Finish** Tough, Finger Print Resistant, Black Powder Coating

## [DC-606T-DN-IN](#) Description

The DC-Digital [DC-606T-DN-IN](#) is designed to be used where a highly visible countdown timer is needed. The [DC-606T-DN-IN](#) utilizes the **shift digit technology** that allows the user to see hours as well as hundredths of a second. The flexibility of this unique design gives it a broad range of applications in industry, government, schools and churches. It can be used in either existing buildings or new construction. Long viewing distances are accomplished with its large red LED display. The all aluminum, black extra tough powder coated enclosure gives it a professional look that will hold up in many harsh environments.

## [DC-606T-DN-IN](#) Mounting and Dimensions

