6.0 inch Four-Digit Network Time of Day

Clock DC-60N-IN (Indoor)



Features

- Atomic Time from Network (DHCP or Static IP)
- Time Zone Selectable
- Surface mount
- Durable finger print resistant aluminum case
- Made in the USA

- DC-Digital
- 12-24 Hour Atomic Time NTP or SNTP
- Large 6.0 Inch Super Bright Bar LED's
- 6 foot power cord, 2wire with ground
- Visible up to 300Ft.
- Factory serviceable modular design

Options

- POE injector
- NEMA 4X Polycarbonate case
- Double face hall mount

- Network, POE
- Static Display, Timer, Temperature available
- Outdoor rated

Specifications


- Input
 Data DHCP or Static IP, NTP or SNTP
- **Display** 6.0 Inch, Four digit, Seven Segment, Red LED display
- Case Aluminum; 16.25"W x 6.75"H x 3.06"D
- Weight 10.0 Pounds
- **Power Source** 20 Watts; 100 240VAC 50/60 Hz, 2 wire with ground (junction box with pigtails)
- **Operating Temp** 0° to 49° Celsius (32° to 120° Fahrenheit)
- Case Finish Tough, Finger Print Resistant, Black Powder Coating
- Cabling Ethernet Cat 3 or 5

DC-60N Description

The DC-Digital <u>DC-60N</u> time of day clock is designed to be used in any application where any 4 digit network time of day clock is needed to be seen. It automatically queries NTP once every 10 seconds and on power up. It can be set up for 12 or 24 hour time format (default is 12 Hour). It can be set up for static IP to receive the NTP from your server (default is DHCP). This unique design can be used in either existing buildings or new construction. This equipment is proudly made in the USA and is factory serviceable.

DC-Digital <u>DC-60N</u> Mounting and Dimensions

There are (2) adjustable keyhole mounting tabs for easy attachment to a wall.



74